

Debrin 750

Work Order ID 87089

87089

Page 1

July-10-12 3:07:19 PM

Item ID: D3953-11

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: Gas Spring Spacer

Start Date: 7/10/12

Start Qty: 20.00

20

Cust Item ID:

Required Date: 8/10/12

Req'd Qty: 20.00

20

Customer:

Reference:

Run Start

NR1

Stop

NR2

Approvals:

Process Plan:

Date:

207/11

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3953

C

0.00

0.00

0.00

0.00

100

100

Hardinge

Hardinge CNC Lathe Small

Memo

TURN AS PER FOLIO FA856 & DWG

FOLIO REV: *AA*

DWG REV: *E*

DEBURR

QC2- Inspect parts off machine FAI/FAIB

Memo

110

110

QC

Quality Control

SL 12/07/24

20

0

SL 12/07/24

20

0

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 87089

87089

Page 2

July-10-12 3:07:19 PM

Item ID: D3953-11 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Gas Spring Spacer
 Start Date: 7/10/12 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 8/10/12 Req'd Qty: 20.00 ***20*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC8- Inspect parts - second check	0.00							
120									
QC	Memo	0.00							
Quality Control									
130	Identify as per dwg & Stock Location: <u>70</u>	0.00							
130									
Packaging	Memo	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

12/07/26
 12/07/26
 12/17/30
 MJS 12/07/27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

July-10-12 3:07:19 PM

Page 1

Work Order ID: 87089

Parent Item: D3953-11

Parent Item Name: Gas Spring Spacer

Start Date: 7/10/12

Required Date: 8/10/12

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP RevA: New issue DD verified by:EC
verified by:EC

IPP Rev:B as per dwg revC DD 10.03.02

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
MDELRLINR0.750 Delrin Round Bar 0.75"		Purchased	No			100	f	147.3720	0.06	1.263158 1.400'		SL 12/07/26	

Location

Loc Qty

Loc Code

MAT055

147.372

116183

2.4

117273

1.555

117322

0.94

120722

5.28

121783

137.197

1.400'

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


8 7 6 5 4 3 2 1




D3953-1 GAS SPRING BRACKET
(FULL LID)



D3953-3 GAS SPRING STUD, LID




D3953-5 GAS SPRING STUD, BASE




D3953-7 GAS SPRING SPACER



D3953-9 GAS SPRING WASHER




D3953-11 GAS SPRING SPACER



D3953-13 GAS SPRING SPACER
(FULL LID)




D3953-15 GAS SPRING BRACKET
(SPLIT LID)



D3953-17 GAS SPRING SPACER
(SPLIT LID)



D3953-19 GAS SPRING BRACKET
(SQUARE BASKET)



D3953-21 GAS SPRING BRACKET
(SQUARE BASKET)

57089
2012-07-11

RELEASED
R 2010-02-26

C	PARTS -19 & -21 ADDED (SHT 1&4); CSK CALLOUT WAS CHAM (C6-2, B6-3, C6-4); C SYMM WAS C SYM ABOUT (C7-2, C7-4); SECTION C-C REPOSITIONED TO B2-4 REASON: ADDL PARTS REQD, DRAFTING ERRORS	JPH	10.01.29
B	SHEET 3 ZONE C1, DIM 0.05 MIN WAS 0.13, MULTIPLE DIMENSIONS MIN/MAX REMOVED TOLERANCE ADDED REASON: DIFFICULTY INSTALLING COTTER PIN AT NEXT ASSY.	AJS	09.11.11
A	NEW ISSUE	AJS	09.07.27
REV.	DESCRIPTION	BY	DATE
DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	JPH		
CHECKED	GP	DRAWING NO.	REV. C
MFG. APPR.	GP	D3953	SHEET 1 OF 4
APPROVED	GP	TITLE	SCALE
DE APPR.	GP	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

8 7 6 5 4 3 2 1

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector


Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____


NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries


87089





D3953-1 GAS SPRING BRACKET
(FULL LID)




SECTION A-A C7-2



D3953-3 GAS SPRING STUD, LID



D3953-5 GAS SPRING STUD, BASE



NOTES:

- 1) MATERIAL -1: 304/316 STAINLESS STEEL SHEET ANNEALED 2B FINISH.
PER MIL-S-5059 OR AMS 5513/5524 OR ASTM A240 OR ASME SA240
REF DART SPEC M304S11GA
- 3 & -5: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B
OR:
AISI 304/316 STAINLESS STEEL ROD
REF DART SPEC M304R
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -1: 0.11 lbs
-3: 0.03 lbs
-5: 0.06 lbs

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 2 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	COPYRIGHT © 2009 BY DART AEROSPACE LTD	
THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			

RELEASED
R 2010-02-26



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____



Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries





D3953-7 GAS SPRING SPACER





D3953-9 GAS SPRING WASHER

87889



SECTION B-B 87-3

D3953-11 GAS SPRING SPACER



D3953-13 GAS SPRING SPACER

NOTES:

- 1) MATERIAL -7,-9 & -11: DELRIN II 150E OR ACETRON GP ACETAL, BLACK
REF DART SPEC M-DELRIN-R
- 13: AISI 304 STAINLESS STEEL BAR
REF DART SPEC M304B
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION -13 ONLY: IDENTIFY WITH DART P/N "D3953-13" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT -7/-9/-11: < 0.01 lbs EACH
-13: 0.17 lbs

RELEASED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD	
DRAWN	JPH	HAWKESBURY, ONTARIO, CANADA	
CHECKED	<i>[Signature]</i>	DRAWING NO.	REV. C
MFG. APPR.	<i>[Signature]</i>	D3953	SHEET 3 OF 4
APPROVED	<i>[Signature]</i>	TITLE	SCALE
DE APPR.	<i>[Signature]</i>	GAS SPRING LID COMPONENTS	NTS
DATE	10.01.29	<small>COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESSED CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



2) FINISH: N/A
3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
4) UNITS: INCHES UNLESS OTHERWISE NOTED
5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3953-X" USING FINE POINT PERMANENT INK MARKER
7) WEIGHT
 -15: 0.08 lbs
 -17: 0.10 lbs
 -19: 0.07 lbs
 -21: 0.06 lbs

 C2
B4

RECEIVED
2010-02-26

DESIGN	AJS	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA DRAWING NO. D3953 TITLE GAS SPRING LID COMPONENTS COPYRIGHT © 2009 BY DART AEROSPACE LTD. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.	REV. C
DRAWN	JPH		SHEET 4 OF 4
CHECKED	<i>[Signature]</i>		SCALE
MFG APPR.	<i>[Signature]</i>		NTS
APPROVED	<i>[Signature]</i>		
DE APPR.	<i>[Signature]</i>		
DATE	10.01.29		

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

Resolution: _____ Disposition: _____ QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries